

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L4 | 26 | (US-20050044408-\$ or US-20060190653-\$ or US-20040268143-\$ or US-20040128528-\$ or US-20030196088-\$ or US-20030028812-\$ or US-20030217258-\$ or US-20030158983-\$).did. or (US-6871252-\$ or US-6799237-\$ or US-7076669-\$ or US-6519669-\$ or US-5073940-\$ or US-7263716-\$ or US-7216362-\$ or US-7047343-\$ or US-7007300-\$ or US-7003676-\$ or US-6912663-\$ or US-6832317-\$ or US-7149854-\$ or US-7120720-\$ or US-6681213-\$ or US-5835791-\$ or US-6055634-\$ or US-6141757-\$).did. | US-PGPUB; USPAT | OR | ON | 2007/08/30 11:02 |
| L5 | 5 | I4 and ("ID" identifier identification number) with (verification authenticat\$3 validat\$3 verifying) | US-PGPUB; USPAT | OR | ON | 2007/08/30 11:05 |
| L10 | 73 | "713"/166,167,300-400,500-600.ccls. and ("ID" identifier identification) with (verification authenticat\$3 validat\$3 verifying) and ((secur\$3 protect\$3 trust\$3) near3 (logic interface cycle bus)) | US-PGPUB; USPAT | OR | ON | 2007/08/30 11:29 |
| L11 | 123 | "713"/\$.ccls. and (system computer unit terminal device apparatus) near ("ID" identifier identification) with (verification authenticat\$3 validat\$3 verifying) and ((secur\$3 protect\$3 trust\$3) near3 (logic interface cycle bus)) | US-PGPUB; USPAT | OR | ON | 2007/08/30 11:31 |
| S1 | 2 | "20050044408" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:09 |
| S2 | 2 | "6799237".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:05 |
| S3 | 2 | "6871252".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:05 |
| S4 | 24 | ("20020184297" "20030078984" "20030093607" "20030154338" "20030200370" "20060190653" "4829515" "5748888" "6131127" "6799237" "6868468" "6871252" "7096308").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:03 |
| S5 | 9 | ((("low pin count") or "LPC") and (trust\$3 near (cycle period clock interval))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:26 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S6 | 9 | ((("low pin count") or "LPC") and (trust\$3 near1 (cycle period clock interval))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:14 |
| S7 | 2 | "6519669".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:51 |
| S8 | 2 | "6434650".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:18 |
| S9 | 2 | "5748888".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:25 |
| S10 | 3 | ((("low pin count") or "LPC") adj2 (data information content stream) with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:28 |
| S11 | 378 | ((("low pin count") or "LPC") with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:28 |
| S12 | 21 | "710"/\$.ccls. and ((("low pin count") or "LPC") with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:41 |
| S13 | 35 | "711"/\$.ccls. and ((("low pin count") or "LPC") with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:38 |
| S14 | 31 | "713"/\$.ccls. and ((("low pin count") or "LPC") with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:42 |
| S15 | 22 | "726"/\$.ccls. and ((("low pin count") or "LPC") with (protect\$3 prevent\$3 secur\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:29 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S16 | 8 | ((secure\$3 protect\$3 trust\$3) near2 (dock\$3) adj (logic interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 09:52 |
| S17 | 53 | ((secur\$3 protect\$3 trust\$3) with (dock\$3) adj (logic interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:31 |
| S18 | 82 | ((secur\$3 protect\$3 trust\$3) near3 (dock\$3) adj (logic interface module circuit hardware component unit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:13 |
| S19 | 2 | S18 and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 autoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:32 |
| S20 | 6 | ("6434650" "6519669" "6574708").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:31 |
| S21 | 1176 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 autoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:33 |
| S22 | 224 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 autoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:40 |
| S23 | 48 | "713"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 autoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:48 |
| S24 | 5 | "710"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 autoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/30 11:41 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S25 | 14 | "379"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 authoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:57 |
| S26 | 2 | "726"/34-36.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 authoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:32 |
| S29 | 4 | "711"/100-200.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near2 (cycle bus link communication) with (trust\$3 secure unauthoriz\$3 authoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 10:59 |
| S30 | 11 | ("5642805" "5724027" "5784581" "5835791" "5836010" "5952632" "6098171" "6138240" "6223284" "6480097" "6546441").PN. OR ("6912663").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/29 11:29 |
| S31 | 1 | "726"/34-36.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:35 |
| S32 | 1 | "713"/166,167,300-400,500-600.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) same ((prevent\$3 block\$3 clos\$3 deni\$3 protect\$3) with (switch connector bus cycle interface communication link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:35 |
| S33 | 18 | "713"/166,167,300-400,500-600.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:50 |
| S34 | 6 | "726"/34-36.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:35 |
| S35 | 14 | "710"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:56 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S36 | 692 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:57 |
| S37 | 778 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4 protect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:57 |
| S38 | 33545 | "713"/\$.ccls.((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4 protect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:58 |
| S40 | 112 | "713"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4 protect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 14:24 |
| S41 | 5 | "710"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4 protect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 11:58 |
| S42 | 101 | "726"/\$.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near3 (cycle bus link communication) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4 protect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 12:03 |
| S45 | 23 | (trusted near1 (cycle bus)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/29 16:13 |
| S46 | 3 | ("20020166055" "5748888" "6725318").PN. OR ("7145481").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/29 14:26 |
| S47 | 3 | ((("trusted data cycle" (trusted adj1 cycle)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/30 08:25 |